

ПОРШНЕВЫЕ КОМПРЕССОРЫ СЕРИИ FIAC

Компрессоры с
прямым приводом

1,5 кВт

1,8 кВт



МОДЕЛЬ	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты А x В x С, мм
СБ4/С-24.GM193	24	1/1	240	8	1,5	220	29	590 x 270 x 600
СБ4/С-24.GM244	24	1/1	260	8	1,8	220	29	590 x 270 x 600
СБ4/С-50.GM193	50	1/1	240	8	1,5	220	39	850 x 410 x 700
СБ4/С-50.GM244	50	1/1	260	8	1,8	220	39	850 x 410 x 700

Компрессоры с
ременным приводом

1,5 кВт

2,2 кВт



МОДЕЛЬ	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты А x В x С, мм
СБ4/С-50.AB248	50	2/1	250	10	1,5	220	59	850 x 400 x 770
СБ4/С-100.AB248	100	2/1	250	10	1,5	220	76	1150 x 500 x 1000
СБ4/С-50.AB360	50	2/1	360	10	2,2	220/380	61	850 x 400 x 770
СБ4/С-100.AB360	100	2/1	360	10	2,2	220/380	80	1150 x 500 x 1000

Компрессоры с
ременным приводом

3,0 кВт



МОДЕЛЬ	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты А x В x С, мм
СБ4/С-50.AB515	50	2/1	515	10	3,0	380	85	900 x 400 x 800
СБ4/С-100.AB515	100	2/1	515	10	3,0	380	94	1150 x 500 x 1000
СБ4/С-200.AB515	200	2/1	515	10	3,0	380	125	1460 x 640 x 1150

ПОРШНЕВЫЕ КОМПРЕССОРЫ СЕРИИ FIAC

Компрессоры с
ременным приводом

4,0 кВт



МОДЕЛЬ	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты А x В x С, мм
СБ4/С-100.АВ670	100	2/2	650	10	4,0	380	125	1150 x 620 x 1025
СБ4/С-270.АВ670	270	2/2	650	10	4,0	380	175	1650 x 660 x 1150

Компрессоры с
ременным приводом

5,5 кВт

7,5 кВт



МОДЕЛЬ	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты А x В x С, мм
СБ4/С-100.АВ850	100	2/2	850	10	5,5	380	125	1150 x 510 x 1150
СБ4/С-270.АВ850	270	2/2	850	10	5,5	380	180	1650 x 510 x 1150
СБ4/Ф-500.АВ850	500	2/2	850	10	5,5	380	220	2000 x 610 x 1250
СБ4/Ф-500.АВ981	500	2/2	1000	10	7,5	380	230	2000 x 610 x 1250

Компрессоры с
ременным приводом

ТАНДЕМ

4,0+4,0 кВт

5,5+5,5 кВт

7,5+7,5 кВт



МОДЕЛЬ	 л	 ц/ст	 л/мин	 бар	 кВт	 В	 кг	Габариты А x В x С, мм
СБ4/Ф-500.АВ670Т(ТБ)	500	2/2	1300	10	4,0+4,0	380	290	2050 x 610 x 1200
СБ4/Ф-500.АВ850Т(ТБ)	500	2/2	1700	10	5,5+5,5	380	300	2050 x 610 x 1200
СБ4/Ф-500.АВ981Т(ТБ)	500	2/2	2000	10	7,5+7,5	380	300	2050 x 610 x 1200

Т – с пультом управления, ТБ – без пульта управления

ПОРШНЕВЫЕ КОМПРЕССОРЫ СЕРИИ FIAC

Компрессоры с вертикальным расположением ресивера с ременным приводом



2,2 кВт

3,0 кВт

4,0 кВт

5,5 кВт

МОДЕЛЬ	л	ц/ст	л/мин	бар	кВт	В	кг	Габариты А x В x С, мм
СБ4/С-100.АВ360В	100	2/1	360	10	2,2	220/380	80	630 x 540 x 1250
СБ4/С-100.АВ515В	100	2/1	515	10	3,0	380	95	630 x 560 x 1300
СБ4/Ф-270.АВ670В	270	2/2	650	10	4,0	380	170	650 x 700 x 1800
СБ4/Ф-270.АВ850В	270	2/2	850	10	5,5	380	180	650 x 700 x 1800

Компрессоры поршневые
повышенного давления с
ременным приводом



7,5 кВт

7,5+7,5 кВт

16 бар

МОДЕЛЬ	л	ц/ст	л/мин	бар	кВт	В	кг	Габариты А x В x С, мм
СБ4/Ф-270.АВ850/16	270	2/2	850	16	7,5	380	205	1650 x 510 x 1150
СБ4/Ф-500.АВ850/16	500	2/2	850	16	7,5	380	250	2000 x 610 x 1250
СБ4/Ф-500.АВ850Т(ТБ)/16	500	2/2	1700	16	7,5+7,5	380	355	2000 x 610 x 1250

Т – с пультом управления, ТБ – без пульта управления

Компрессоры поршневые
с бензиновым приводом



13 HP

БЕНЗИН

МОДЕЛЬ	л	ц/ст	л/мин	бар	HP	кг	Габариты А x В x С, мм
СБ4/С-100.АВ850.СПЕ390R(E)	100	2/2	850	8	13	130	1150 x 700 x 1000
СБ4/С-100.АВ981.СПЕ390R(E)	100	2/2	1000	8	13	135	1150 x 700 x 1000

R – ручной стартер, E – электрический стартер